



RADIONUCLIDES







VOLATILE ORGANIC COMPOUNDS



SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE

METALS & PHYSICAL PARAMETERS




WELLNAME=699-52-19 WELLID=A5233
 Well Type=STANDARD Well purpose=GROUNDWATER
 Owner=DOE ContactBHI Well Adm Compliance=NON-COMPLIANT
 Well Construction Date=10/11/1994
 X-coor= 584209.40 Y-coor= 139318.40 Datum=NAD83(91) Date Survey= 5/10/1994
 Elevation= 126.008 Datum=NAVD88 Date Survey=05/10/94
 Ref_Point_Desc=TOP OF CASING Ref_Point_side=N Contractor=USACE(JECA)
 Well_Comment= STATUS=IN-USE
 Total Number of perforation Intervals=1
 NPERF#=1 Perf_top= 15.24 Bot= 27.43 mCas_size= 15.00in Perf_cuts= 0.00
 Total Number of Seals=1
 Seal#=1 Depth_top= 29.57 Bottom= 42.67 m Material=Internal Cement Grout
 More Information is at <http://www.envirodataaccess.com/wellfiles/699-52-19.htm>

LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:
 EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag

PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE

GENCHEM & ORGANICS & GENORGANICS



LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:
 EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag